

# ACE POWER BLINDS CO., LTD.

## COMPONENTS OF VERTICAL BLINDS SYSTEM-WB(40mm)

For 44.5mmX33mm, 44.5mmX25mm Rail



WB-06-4-10 Nickel-plating Brass  
WB-06-4-8.0 Open Bead, Dia. 10mm  
WB-06-4-6.4 /8mm/6.4mm/4.5mm  
WB-06-4-4.5

Dia. 8mm 20000pcs/ctn, 1000pcs/bag  
Dia. 10mm 10000pcs/ctn, 1000pcs/bag



WB-15-P4506 #10 PLASTIC OPERATION CHAIN, Dia.4.5mm  
Between:6.2/6.0mm

1600m/ctn, 200m/roll  
2000m/ctn, 250m/roll



WB-06-4-B10 Brass Open Bead,  
WB-06-4-B8.0 Can Nickel-plating  
WB-06-4-B6.4 Dia 10mm  
WB-06-4-B4.5 /8mm/6.4mm/4.5mm

Dia. 8mm 20000pcs/ctn, 1000pcs/bag  
Dia. 10mm 10000pcs/ctn, 1000pcs/bag



WB-15-P4506-T/GR #10 BALL CHEAINLOOP, Dia.4.5mm  
Between:6.2/6.0mm, PC  
WB-15-P4506-T/WH Clear ball and Gray cord,  
PC Clear ball and White

1600m/ctn, 200m/roll  
2000m/ctn, 250m/roll



WB-06-4PC8.5 PC OPEN BEAD,  
Dia 8.5mm ,  
for Dia. 4.5mm  
Ball chain

10000pcs/ctn, 1000pcs/bag



WB-15-P4512 #10 PLASTIC OPERATION CHAIN, Dia.4.5mm  
Between:12mm  
(WB-15-PS)

2000m/ctn, 250m/roll  
2400m/ctn, 300m/roll



WB-15-1P PLASTIC CONNECTOR,  
FOR #10 (dia. 4.5mm)  
OPERATION CHAIN

20000pcs/ctn, 1000pcs/bag



WB-15-P3204 #6 PLASTIC OPERATION CHAIN, Dia.3.2mm  
Between:4mm

4000m/ctn, 500m/roll



WB-15-P3208 #6 PLASTIC OPERATION CHAIN, Dia.3.2mm  
Between:8mm

4000m/ctn, 500m/roll



WB-15-2P PLASTIC CONNECTOR,  
2 pcs/set,  
FOR #10 (dia. 4.5mm)  
OPERATION CHAIN

20000pcs/ctn, 1000pcs/bag



WB-15E-P4512 #10 Ellipse BALL CHEAIN ,  
Dia.4.5mm Between  
12mm, Ellipse Ball  
Length 6.2mm

304.88m/roll, 1000M/carton



WB-15-1P6 PLASTIC CONNECTOR,  
FOR #6 (dia. 3.2mm)  
OPERATION CHAIN

20000pcs/ctn, 1000pcs/bag



MCL-Tool The tweezers forthe  
dia.4.5mm metal chain  
to make loop chain  
(no connector endless  
metal chain)

1pc/box



WB-15E-4P Ellipse type PLASTIC  
CONNECTOR, FOR #10  
Ellipse BALL CHEAINWB-  
15E-P4512

20000pcs/ctn, 1000pcs/bag



WB-15-M10 #10  
Metal/Brass/Stainless  
WB-15-B10 OPERATION CHAIN,  
WB-15-SL10 Dia.4.5mm  
Between: 6mm

600m/ctn, 150m/roll



WB-15-3B10 Brass/Metal Connector,  
WB-15-3B6 For #10 (dia. 4.5mm)  
WB-15-3B3 #6 (dia. 3.2mm)  
WB-15-3M10 #3 (dia. 2.4mm)  
WB-15-3M6 Operation Chain  
WB-15-3M3

#10\_20000pcs/ctn, 3000pcs/bag  
#6\_100000pcs/ctn, 10000pcs/bag  
#3\_200000pcs/ctn, 20000pcs/bag



WB-15-M6 #6  
Metal/Brass/Stainless  
WB-15-B6 OPERATION CHAIN,  
WB-15-SL6 Dia.3.2mm  
Between: 4mm

1200m/ctn, 300m/roll



WB-15-TM10 METAL Tassel  
CONNECTOR, FOR #10,  
OPERATION CHAIN

20000pcs/ctn, 1000pcs/bag



WB-15-M3 #3  
Metal/Brass/Stainless  
WB-15-B3 OPERATION CHAIN,  
WB-15-SL3 Dia.2.4mm  
Between: 3mm

2000m/ctn, 500m/roll



# ACE POWER BLINDS CO., LTD.

## COMPONENTS OF VERTICAL BLINDS SYSTEM-WB(40mm)

For 44.5mmX33mm, 44.5mmX25mm Rail

Roman  
Wire  
Roller  
Panel  
Vertical  
Venetian  
25/16mm Venetian  
35/50 Venetian  
Remote  
Machine  
CURTAIN



WB-16-CT

Clip Type PC Clear  
Plastic Clip without #3  
Metal Linking Chain

3000sets/ctn, 500sets/bag



**New** CEILING CLIP , For  
WB-17-CKSP 40mm Rail, have 4.5mm  
WB-17-CKSZ screw space type, with 2  
holes and muchtight ,  
PAINTED, PLATED

2500pcs/ctn, 500pcs/bag



WB-16-CF

Clip Type PC Clear  
Plastic Clip without #3  
Metal Linking Chain

3000sets/ctn, 500sets/bag



CEILING CLIP ,  
For 40mm Rail,  
WB-17-CP PAINTED, PLATED  
WB-17-CZ

2500pcs/ctn, 500pcs/bag



WB-16-CFW

Clip Type White Plastic  
Clip without #3 Metal  
Linking Chain

3000sets/ctn, 500sets/bag



CEILING CLIP ,  
For 40mm Rail,  
WB-17-C5P PAINTED, PLATED,  
WB-17-C5Z Have 5mm screw  
space type


3000pcs/ctn, 500pcs/bag



WB-16-CY

Y Type PC Clear Plastic  
Clip without #3 Metal  
Linking Chain

3000sets/ctn, 500sets/bag



CEILING CLIP ,  
For 40mm Rail,  
WB-17-C5P PAINTED, PLATED,  
WB-17-C5Z More Springiness type

3000pcs/ctn, 500pcs/bag



WB-16-CYW

Y Type White Plastic Clip  
without #3 Metal Linking  
Chain

3000pcs/ctn, 500pcs/bag



CEILING CLIP ,  
For 40mm Rail,  
WB-17-CSP PAINTED, PLATED,  
WB-17-CSZ More Springiness type

3000pcs/ctn, 500pcs/bag



WB-16-PB89

"Big C" TYPE PLASTIC  
LINKING CHAIN, FOR  
89mm,  
WB-16-PB127 127mm system

4000m/ctn, 500m/roll  
2400m/ctn, 300m/roll



CEILING CLIP ,  
For 40mm Rail,  
WB-17-F5P PAINTED, PLATED,  
WB-17-F5Z Have 5mm screw  
space and Flat type,  
more tight type

3000pcs/ctn, 500pcs/bag



WB-16-PC89

"C" TYPE PLASTIC LINKING  
CHAIN, FOR 89mm,  
WB-16-PC100 100mm,  
WB-16-PC127 127mm system

2400m/ctn, 300m/roll



Wall and Ceiling  
Bracket with Ceiling  
Clip, Length 52mm , For  
50mm/60mm/89mm  
system , Painted

1000pcs/ctn, 200pcs/bag



WB-16-PF89

CLIP TYPE PLASTIC LINKING  
CHAIN, FOR 89mm,  
WB-16-PF100 100mm,  
WB-16-PF127 127mm system

2400m/ctn, 300m/roll



WB-17 INST. BRACKET, With 2 screw  
-2SP-80 drive holes, FOR 89mm or  
WB-17 Two Blinds, PAINTED,  
-2SP-83 T=3.5mm, W=15mm,  
WB-17-2SZ-80 L=80mm /L=83mm,  
WB-17-2SZ-83 PAINTED, PLATED

400pcs/ctn



WB-16-PU89

"U" TYPE PLASTIC LINKING  
CHAIN, FOR 89mm,  
WB-16-PU100 100mm,  
WB-16-PU127 127mm system

4000m/ctn, 500m/roll



WB-17-SZ Square screw Nut and  
Screw ,  
FOR CEILING BRACKET,  
ANODIZED

5000pcs/ctn, 1000pcs/bag



WB-16-PY89

"Y" TYPE PLASTIC LINKING  
CHAIN, FOR 89mm,  
WB-16-PY127 127mm system

4000m/ctn, 500m/roll



WB-17-HZ Hexagon screw Nut  
and Screw ,  
FOR CEILING BRACKET,  
ANODIZED

5000pcs/ctn, 1000pcs/bag



# ACE POWER BLINDS CO., LTD.

## COMPONENTS OF VERTICAL BLINDS SYSTEM-WB(40mm)

For 44.5mmX33mm, 44.5mmX25mm Rail



**WB-17-1P89** INST. BRACKET for 89mm,  
PAINTED,  
T=1.6mm,L=3 inch

400pcs/ctn



**WB-17-1Z89** INST. BRACKET for 89mm,  
PLATED,  
T=1.6mm,L=3 inch

400pcs/ctn



**WB-17-1P127** INST. BRACKET for  
127mm, PAINTED,  
T=1.3mm,L=4 inch

400pcs/ctn



**WB-17-1Z127** INST. BRACKET for  
127mm, PLATED,  
T=1.3mm,L=4 inch

400pcs/ctn



**WB-17-2P75** INST. BRACKET for 89mm  
**WB-17-2P95** or 127mm, PAINTED,  
**WB-17-2P115** T=3.0mm,L=75mm,  
95mm, 115mm

400pcs/ctn



**WB-17-2Z75** INST. BRACKET for 89mm  
**WB-17-2Z95** or 127mm, PLATED,  
**WB-17-2Z115** T=3.0mm,L=75mm,  
95mm, 115mm

400pcs/ctn



**WB-17-3P-100** Stretch-adjust Metal, for  
Inst. Bracket, Painted,  
**WB-17-3Z-100** PLATED,  
W=3.0mm, L=100mm,

500pcs/ctn



**WB-17-3UCP** Stretch-adjust metal with  
Ceiling Clip, For Inst.  
Bracket WB-17-1 and  
**WB-17-3UCZ** WB-17-2,  
Painted, PLATED

500pcs/ctn



**WB-17-2P-73** INST. BRACKET,  
FOR 89mm or 100mm,  
**WB-17-2Z-73** W=18mm,L=73mm, T=3mm  
Painted, PLATED

500pcs/ctn



**WB-17-2P-73** INST. BRACKET With WB-17-  
3UCP Stretch-adjust  
metal and Ceiling Clip,  
Painted FOR 89mm or  
**WB-17-2Z-73** 100mm, 127mm,  
**+3UCZ** Painted, PLATED

400pcs/ctn



**WB-17-4P-75** Inst. Bracket,  
**WB-17-4Z-75** Painted, PLATED,  
**WB-17-4P-100** W=1.6mm, L=75mm,  
**WB-17-4Z-100** W=1.6mm, L=100mm

400pcs/ctn



**WB-17-4VP-75** Inst. Bracket,  
**WB-17-4VZ-75** Painted, PLATED,  
**WB-17-4VP-100** W=1.6mm, L=75mm,  
**WB-17-4VZ-100** W=1.6mm, L=100mm

400pcs/ctn



**WB-17-5P-84** Inst. Bracket, with screw,  
For 89mm system  
**WB-17-5Z-84** Painted, PLATED,  
W=2.0mm,L=84mm

400pcs/ctn



**WB-17-5P-100** Inst. Bracket, with screw,  
For 127mm system  
**WB-17-5Z-100** Painted, PLATED,  
W=2.0mm,L=84mm

400pcs/ctn



**WB-17-6P-89** Ceiling Inst. Bracket,  
With screw, 3 holes  
For 89mm system  
**WB-17-6Z-89** Painted, PLATED,  
W=2.0mm

400pcs/ctn



**WB-17-6P-127** Ceiling Inst. Bracket,  
With screw, 3 holes,  
For 127mm system  
**WB-17-6Z-127** Painted, PLATED,  
W=2.0mm

400pcs/ctn



**WB-17-7P-89** Ceiling Inst. Bracket,  
With screw, 2 holes,  
For 89mm system  
**WB-17-7Z-89** Painted, PLATED,  
W=2.0mm

400pcs/ctn



**WB-17-8HDP** heavy-duty Inst. Bracket  
**WB-17-8HDZ** sets, with adjust metal  
and Ceiling Clip,  
For 89/127mm system  
Painted, PLATED

400pcs/ctn



**WB-17-9HDP** heavy-duty Inst. Bracket  
**WB-17-9HDZ** sets, with adjust metal  
without Ceiling Clip,  
For 89/127mm system  
Painted, PLATED

400pcs/ctn



# ACE POWER BLINDS CO., LTD.

## COMPONENTS OF VERTICAL BLINDS

### SYSTEM-WB(40mm)

For 44.5mmX33mm, 44.5mmX25mm Rail



WB-17-9HD105P

WB-17-9HD105Z

**heavy-duty** Inst. Bracket sets, with adjust metal (Max. 165mm), without Ceiling Clip, For 89/127mm system, Painted, **Plated**

400pcs/ctn



M27-14-M53

M27-14-M35

Chain (Cord) Weight with 53gw/ **35gw** Metal, Total= 70gw/**52gw**, Can pass through connector of operation chain

100pcs/ctn



M27-14-M53g

M27-14-M35g

METAL 53g /**35gw** For Chain (Cord) Weight

100pcs/bag



WB-17-9HD160P

WB-17-9HD160Z

**heavy-duty** Inst. Bracket sets, with adjust metal (Max. 250mm), without Ceiling Clip, For 89/127mm system, Painted, **Plated**

400pcs/ctn



M30-14-MB53

M30-14-MB35

**New** Chain (Cord) Weight with 53gw/**35gw** Metal, Ellipse type, for operation chain or Cord

100pcs/ctn



WB-09M-C48

Clip slat hanger, metal painted, single hole, 48mmX13mm, For PVC or alum. Slat


1000pcs / Bag, 5000pcs/ctn



M30-14-MCT

Transparent Chain (Cord) Weight with/without Cylinder Metal total=30gw, Cylinder type, for operation chain or Cord

100pcs/ctn



WB-10FP-129NC

**New** Full Plastic bottom weight, No ear type, For fabric width 127~129mm, (C=38g ±1g)

127mm ; 250pcs/ctn



M30-14-MCY

Chain (Cord) Weight with Cylinder Metal total=30gw, Cylinder type, for operation chain or Cord

100pcs/ctn



WB-16-CDW

Double hole Type Type White Plastic Clip **without** #3 Metal Linking Chain

3000pcs/ctn, 500pcs/bag



M30-14-MV

Chain (Cord) Weight with 35gw Metal, Arc angle type, for operation chain or Cord

100pcs/ctn



WB-16-CDW-LK

Double hole Type Type White Plastic Clip **with** #3 Metal Linking Chain, (metal chain length by order)

2000meter/ctn, 500meter/roll



M30-14-MVS

**New** Chain (Cord) Weight with 35gw Metal, Square type, for operation chain or Cord

100pcs/ctn



# ACE POWER BLINDS CO., LTD.

## COMPONENTS OF VERTICAL BLINDS

### SYSTEM-WB(40mm)

For 44.5mmX33mm, 44.5mmX25mm Rail



WB-18-1 Valance Clip 1-1/2"

1000pcs/ctn, 300pcs/bag



WB-18-2 Big End Cap, For Valance

800pcs/ctn, 200pcs/bag



WB-18-3C Valance Clip, Curve type, For WB-19-C

1000pcs/ctn, 250pcs/bag



WB-18-4C Small End Cap, For Valance WB-19-C

600pcs/ctn, 150pcs/bag



WB-19-C Valance, Curve type, can insert 89mm alum. slat or fabric slat

40pcs/ctn, 3meter/pc



CR-BW2.3 Non Stretch BLACK & WHITE PULL CORD, Dia. 2.0 mm ~ 2.5mm

2.3m/m 6000m/Cartron, 500m/Roll  
2.5m/m 4800m/Cartron, 400m/Roll

CR0.8, CR0.9 Non Stretch Cord, White / Color, Dia. 0.8 m/m ~ 4.0m/m

CR1.0, CR1.2 1.2 ~ 1.6mm:10000m/ctn, 500m/roll  
CR1.3, CR1.4 1.8 ~ 2.2mm:12000m/ctn, 500m/roll  
CR1.6, CR1.8 2.4 ~ 2.6mm: 4800m/ctn, 400m/roll  
CR2.0, CR2.2 2.8 ~ 3.0mm: 3600m/ctn, 300m/roll  
CR2.3, CR2.4  
CR2.5, CR2.8  
CR3.0, CR3.3  
CR3.6, CR3.8



WB-18-A127 2 pcs 127mm Corner-End-Cap, For Alum. Valance Slat

500pcs/ctn



WB-18-A89 2 pcs 89mm Corner-End-Cap, For Alum. Valance Slat

500pcs/ctn




# ACE POWER BLINDS CO., LTD.

## COMPONENTS OF VERTICAL BLINDS

### SYSTEM-WB(40mm)

For 44.5mmX33mm, 44.5mmX25mm Rail



V25-1516-9FG

Fiber Glass Circle type 9mm SOLID TILT-Wand-Rod, With Circle-Hooker , Dia. 9mm, length by order

20pcs/bag, 100pcs/ctn

V25-1516-9PVC

PVC Circle type 9mm SOLID TILT-Wand-Rod, With Circle-Hooker , Dia. 9mm, length by order

20pcs/bag, 100pcs/ctn



2mmX104mm

2mmX60mm

TUN-2X104  
TUN-2X60

Tune-Tool For 2mm inside Hexagon screw  
2mmX104mm ,  
2mmX60mm



PRESS-Machine

Press Machine, for Press or Cut or Drill , can design available mold for Manual operation



**C-Clip Tool (snapping pliers)**

For C-Clip WB-12-PC & WB-12-PC-N

C-Clip Tool

C-Clip Tool (snapping pliers)  
For C-Clip WB-12-PC &  
WB-12-PC-N and  
For RB-12-PC PLASTIC  
STOP RING

5pcs/box, 1pc/bag

Washer Tool

Washer Tool For Washer  
WB-11-3 (11.5mm) &  
WB-11-4 (15mm) and  
RB-12-PC PLASTIC STOP  
RING



**Washer Tool**

For Washer WB-11-3 & WB-11-4



MCL-Tool

The tweezers for the dia.4.5mm metal chain to make loop chain (no connector endless metal chain)

1pc/box